


52 HRC
62 HRC



General Use




Long Size

Shaft Tolerance h6

Micrograin ISO:K10/20

General Engineering • Diesinking • Automotive • Defense Industry



0 d1	L2	L3	0d3	0d2	L1	R	Z	52 HRC Order Code	62 HRC Order Code
0,8	1,2	2,0	0,76	3	65	0,15	2	SFME1132-008000	SFME1632-008000
0,8	1,2	3,0	0,76	3	65	0,15	2	SFME1132-008100	SFME1632-008100
0,8	1,2	6,0	0,76	3	65	0,15	2	SFME1132-008200	SFME1632-008200
0,8	1,2	10,0	0,76	3	65	0,15	2	SFME1132-008300	SFME1632-008300
1,0	1,5	2,0	0,95	3	65	0,20	2	SFME1132-010000	SFME1632-010000
1,0	1,5	4,0	0,95	3	65	0,20	2	SFME1132-011000	SFME1632-011000
1,0	1,5	8,0	0,95	3	65	0,20	2	SFME1132-012000	SFME1632-012000
1,0	1,5	12,0	0,95	3	65	0,20	2	SFME1132-013000	SFME1632-013000
1,0	1,5	16,0	0,95	3	65	0,20	2	SFME1132-014000	SFME1632-014000
1,0	1,5	20,0	0,95	3	65	0,20	2	SFME1132-015000	SFME1632-015000
1,2	1,8	2,0	1,14	3	65	0,25	2	SFME1132-102000	SFME1632-102000
1,2	1,8	4,0	1,14	3	65	0,25	2	SFME1132-102100	SFME1632-102100
1,5	2,3	4,0	1,43	3	65	0,30	2	SFME1132-105000	SFME1632-105000
1,5	2,3	8,0	1,43	3	65	0,30	2	SFME1132-105100	SFME1632-105100
1,5	2,3	12,0	1,43	3	65	0,30	2	SFME1132-105200	SFME1632-105200
1,5	2,3	20,0	1,43	3	65	0,30	2	SFME1132-105300	SFME1632-105300
2,0	3,0	4,0	1,90	3	65	0,50	4	SFME1132-200000	SFME1632-200000
2,0	3,0	8,0	1,90	3	65	0,50	4	SFME1132-201000	SFME1632-201000
2,0	3,0	12,0	1,90	3	65	0,50	4	SFME1132-202000	SFME1632-202000
2,0	4,0	16,0	1,90	3	65	0,50	4	SFME1132-203000	SFME1632-203000
2,0	4,0	20,0	1,90	3	65	0,50	4	SFME1132-204000	SFME1632-204000