


52 HRC



General Use



8D Drill Bit - 30°- 40°, Interior Water Cooling Shaft Tolerance h6

Micrograin ISO:K10/20

General Engineering • Diesinking • Automotive • Defense Industry

















0 d1	L2	L3	L1	0d2	Z	Order Code for Uncoated	Order Code for Coated
3	23	28	65	4	2	SMI0132-030000	SMI1132-030000
3,1	23	28	65	4	2	SMI0132-030000 SMI0132-031000	SMI1132-030000
3,2	23	28	65	4	2	SMI0132-032000	SMI1132-032000
3,3	23	28	65	4	2	SMI0132-033000	SMI1132-033000
3,4	23	28	65	4	2	SMI0132-034000	SMI1132-034000
3,5	23	28	65	4	2	SMI0132-035000	SMI1132-035000
3,6	23	28	65	4	2	SMI0132-036000	SMI1132-036000
3,7	23	28	65	4	2	SMI0132-037000	SMI1132-037000
3,8	23	28	65	4	2	SMI0132-038000	SMI1132-038000
3,9	30	35	74	4	2	SMI0132-039000	SMI1132-039000
4	30	35	74	4	2	SMI0132-040000	SMI1132-040000
4,1	30	35	74	6	2	SMI0132-041000	SMI1132-041000
4,2	30	35	74	6	2	SMI0132-042000	SMI1132-042000
4,3	30	35	74	6	2	SMI0132-043000	SMI1132-043000
4,4	30	35	74	6	2	SMI0132-044000	SMI1132-044000
4,5	30	35	74	6	2	SMI0132-045000	SMI1132-045000
4,6	30	35	74	6	2	SMI0132-046000	SMI1132-046000
4,7	30	35	74	6	2	SMI0132-047000	SMI1132-047000
4,8	35	35	81	6	2	SMI0132-048000	SMI1132-048000
4,9	35	45	81	6	2	SMI0132-049000	SMI1132-049000
5	35	45	81	6	2	SMI0132-050000	SMI1132-050000
5,1	35	45	81	6	2	SMI0132-051000	SMI1132-051000
5,2	35	45	81	6	2	SMI0132-052000	SMI1132-052000
5,3	35	45	81	6	2	SMI0132-053000	SMI1132-053000
5,4	35	45	81	6	2	SMI0132-054000	SMI1132-054000
5,5	35	45	81	6	2	SMI0132-055000	SMI1132-055000
5,6	35	45	81	6	2	SMI0132-056000	SMI1132-056000
5,7	35	45	81	6	2	SMI0132-057000	SMI1132-057000
5,8	35	45	81	6	2	SMI0132-058000	SMI1132-058000
5,9	35	45	81	6	2	SMI0132-059000	SMI1132-059000
6	35	45	81	6	2	SMI0132-060000	SMI1132-060000
6,1	42	54	90	8	2	SMI0132-061000	SMI1132-061000
6,2	42	54	90	8	2	SMI0132-062000	SMI1132-062000



0 d1	L2	L3	L1	0d2	Z	Order Code for Uncoated	Order Code for Coated
6,3	42	54	90	8	2	SMI0132-063000	SMI1132-063000
6,4	42	54	90	8	2	SMI0132-064000	SMI1132-064000
6,5	42	54	90	8	2	SMI0132-065000	SMI1132-065000
6,6	42	54	90	8	2	SMI0132-066000	SMI1132-066000
6,7	42	54	90	8	2	SMI0132-067000	SMI1132-067000
	42	54	90	8	2	SMI0132-068000	SMI1132-068000
6,8	12/20/21	54	90	70/3/5	2	SMI0132-069000	
6,9 7	42			8			SMI1132-069000
	42 42	54 54	90	8	2	SMI0132-070000	SMI1132-070000
7,1				8	2	SMI0132-071000	SMI1132-071000
7,2	42	54	90		2	SMI0132-072000	SMI1132-072000
7,3	42	54	90	8	2	SMI0132-073000	SMI1132-073000
7,4	42	54	90	8	2	SMI0132-074000	SMI1132-074000
7,5	42	54	90	8	2	SMI0132-075000	SMI1132-075000
7,6	42	54	90	8	2	SMI0132-076000	SMI1132-076000
7,7	42	54	90	8	2	SMI0132-077000	SMI1132-077000
7,8	42	54	90	8	2	SMI0132-078000	SMI1132-078000
7,9	42	54	90	8	2	SMI0132-079000	SMI1132-079000
8,0	42	54	90	8	2	SMI0132-080000	SMI1132-080000
8,1	50	61	102	10	2	SMI0132-081000	SMI1132-081000
8,2	50	61	102	10	2	SMI0132-082000	SMI1132-082000
8,3	50	61	102	10	2	SMI0132-083000	SMI1132-083000
8,4	50	61	102	10	2	SMI0132-084000	SMI1132-084000
8,5	50	61	102	10	2	SMI0132-085000	SMI1132-085000
8,6	50	61	102	10	2	SMI0132-086000	SMI1132-086000
8,7	50	61	102	10	2	SMI0132-087000	SMI1132-087000
8,8	50	61	102	10	2	SMI0132-088000	SMI1132-088000
8,9	50	61	102	10	2	SMI0132-089000	SMI1132-089000
9,0	50	61	102	10	2	SMI0132-090000	SMI1132-090000
9,1	50	61	102	10	2	SMI0132-091000	SMI1132-091000
9,2	50	61	102	10	2	SMI0132-092000	SMI1132-092000
9,3	50	61	102	10	2	SMI0132-093000	SMI1132-093000
9,4	50	61	102	10	2	SMI0132-094000	SMI1132-094000
9,5	50	61	102	10	2	SMI0132-095000	SMI1132-095000
9,6	50	61	102	10	2	SMI0132-096000	SMI1132-096000
9,7	50	61	102	10	2	SMI0132-097000	SMI1132-097000
9,8	50	61	102	10	2	SMI0132-098000	SMI1132-098000
9,9	50	61	102	10	2	SMI0132-099000	SMI1132-099000
10,0	50	61	102	10	2	SMI0132-100000	SMI1132-100000
10,1	55	71	118	12	2	SMI0132-101000	SMI1132-101000
10,2	55	71	118	12	2	SMI0132-102000	SMI1132-102000
10,3	55	71	118	12	2	SMI0132-103000	SMI1132-103000
10,4	55	71	118	12	2	SMI0132-104000	SMI1132-104000
10,5	55	71	118	12	2	SMI0132-105000	SMI1132-105000
10,6	55	71	118	12	2	SMI0132-106000	SMI1132-106000
10,7	55	71	118	12	2	SMI0132-107000	SMI1132-107000
10,8	55	71	118	12	2	SMI0132-108000	SMI1132-108000
10,9	55	71	118	12	2	SMI0132-109000	SMI1132-109000
11,0	55	71	118	12	2	SMI0132-110000	SMI1132-110000
11,1	55	71	118	12	2	SMI0132-111000	SMI1132-111000
11,2	55	71	118	12	2	SMI0132-112000	SMI1132-112000
11,3	55	71	118	12	2	SMI0132-113000	SMI1132-113000
11,4	55	71	118	12	2	SMI0132-114000	SMI1132-114000
				(#15 656)	-		OITH 102 111000

COOLING CHANNEL - 5D DRILL BIT



0 d1	L2	L3	L1	0d2	Z	Order Code for	Order Code for
			440		-	Uncoated	Coated
11,6	55	71	118	12	2	SMI0132-116000	SMI1132-116000
11,7	55	71	118	12	2	SMI0132-117000	SMI1132-117000
11,8	55	71	118	12	2	SMI0132-118000	SMI1132-118000
11,9	55	71	118	12	2	SMI0132-119000	SMI1132-119000
12,0	55	71	118	12	2	SMI0132-120000	SMI1132-120000
12,1	60	77	124	14	2	SMI0132-121000	SMI1132-121000
12,2	60	77	124	14	2	SMI0132-122000	SMI1132-122000
12,3	60	77	124	14	2	SMI0132-123000	SMI1132-123000
12,4	60	77	124	14	2	SMI0132-124000	SMI1132-124000
12,5	60	77	124	14	2	SMI0132-125000	SMI1132-125000
12,6	60	77	124	14	2	SMI0132-126000	SMI1132-126000
12,7	60	77	124	14	2	SMI0132-127000	SMI1132-127000
12,8	60	77	124	14	2	SMI0132-128000	SMI1132-128000
12,9	60	77	124	14	2	SMI0132-129000	SMI1132-129000
13,0	60	77	124	14	2	SMI0132-130000	SMI1132-130000
13,1	60	77	124	14	2	SMI0132-131000	SMI1132-131000
13,2	60	77	124	14	2	SMI0132-132000	SMI1132-132000
13,3	60	77	124	14	2	SMI0132-133000	SMI1132-133000
13,4	60	77	124	14	2	SMI0132-134000	SMI1132-134000
13,5	60	77	124	14	2	SMI0132-135000	SMI1132-135000
13,6	60	77	124	14	2	SMI0132-136000	SMI1132-136000
13,7	60	77	124	14	2	SMI0132-137000	SMI1132-137000
13,8	60	77	124	14	2	SMI0132-138000	SMI1132-138000
13,9	60	77	124	14	2	SMI0132-139000	SMI1132-139000
14,0	60	77	124	14	2	SMI0132-140000	SMI1132-140000
14,1	64	84	133	16	2	SMI0132-141000	SMI1132-141000
14,2	64	84	133	16	2	SMI0132-142000	SMI1132-142000
14,3	64	84	133	16	2	SMI0132-143000	SMI1132-143000
14,4	64	84	133	16	2	SMI0132-144000	SMI1132-144000
14,5	64	84	133	16	2	SMI0132-145000	SMI1132-145000
14,6	64	84	133	16	2	SMI0132-146000	SMI1132-146000
14,7	64	84	133	16	2	SMI0132-147000	SMI1132-147000
14,8	64	84	133	16	2	SMI0132-148000	SMI1132-148000
14,9	64	84	133	16	2	SMI0132-149000	SMI1132-149000
15,0	64	84	133	16	2	SMI0132-150000	SMI1132-150000
15,1	64	84	133	16	2	SMI0132-151000	SMI1132-151000
15,2	64	84	133	16	2	SMI0132-152000	SMI1132-152000
15,3	64	84	133	16	2	SMI0132-153000	SMI1132-153000
15,4	64	84	133	16	2	SMI0132-154000	SMI1132-154000
15,5	64	84	133	16	2	SMI0132-155000	SMI1132-155000
15,6	64	84	133	16	2	SMI0132-156000	SMI1132-156000
15,7	64	84	133	16	2	SMI0132-157000	SMI1132-157000
15,8	64	84	133	16	2	SMI0132-158000	SMI1132-158000
15,9	64	84	133	16	2	SMI0132-159000	SMI1132-159000
16,0	64	84	133	16	2	SMI0132-160000	SMI1132-160000
16,1	70	94	142	18	2	SMI0132-161000	SMI1132-161000
16,2	70	94	142	18	2	SMI0132-162000	SMI1132-162000
16,3	70	94	142	18	2	SMI0132-163000	SMI1132-163000
16,4	70	94	142	18	2	SMI0132-164000	SMI1132-164000
1114	70	94	142	18	2	SMI0132-165000	SMI1132-165000
		74	142	10	2	SIVIIU 132-103000	SIVII 132-100000
16,5				10	2	CMI0130 166000	QMI1120 166000
16,5 16,6 16,7	70 70	94	142 142	18 18	2	SMI0132-166000 SMI0132-167000	SMI1132-166000 SMI1132-167000

COOLING CHANNEL - 5D DRILL BIT



			V				7.7
0 d1	L2	L3	L1	0d2	Z	Order Code for	Order Code for
						Uncoated	Coated
16,9	70	94	142	18	2	SMI0132-169000	SMI1132-169000
17,0	70	94	142	18	2	SMI0132-170000	SMI1132-170000
17,1	70	94	142	18	2	SMI0132-171000	SMI1132-171000
17,2	70	94	142	18	2	SMI0132-172000	SMI1132-172000
17,3	70	94	142	18	2	SMI0132-173000	SMI1132-173000
17,4	70	94	142	18	2	SMI0132-174000	SMI1132-174000
17,5	70	94	142	18	2	SMI0132-175000	SMI1132-175000
17,6	70	94	142	18	2	SMI0132-176000	SMI1132-176000
17,7	70	94	142	18	2	SMI0132-177000	SMI1132-177000
17,8	70	94	142	18	2	SMI0132-178000	SMI1132-178000
17,9	70	94	142	18	2	SMI0132-179000	SMI1132-179000
18,0	70	94	142	18	2	SMI0132-180000	SMI1132-180000
18,1	77	102	152	20	2	SMI0132-181000	SMI1132-181000
18,2	77	102	152	20	2	SMI0132-182000	SMI1132-182000
18,3	77	102	152	20	2	SMI0132-183000	SMI1132-183000
18,4	77	102	152	20	2	SMI0132-184000	SMI1132-184000
18,5	77	102	152	20	2	SMI0132-185000	SMI1132-185000
18,6	77	102	152	20	2	SMI0132-186000	SMI1132-186000
18,7	77	102	152	20	2	SMI0132-187000	SMI1132-187000
18,8	77	102	152	20	2	SMI0132-188000	SMI1132-188000
18,9	77	102	152	20	2	SMI0132-189000	SMI1132-189000
19,0	77	102	152	20	2	SMI0132-190000	SMI1132-190000
19,1	77	102	152	20	2	SMI0132-191000	SMI1132-191000
19,2	77	102	152	20	2	SMI0132-192000	SMI1132-192000
19,3	77	102	152	20	2	SMI0132-193000	SMI1132-193000
19,4	77	102	152	20	2	SMI0132-194000	SMI1132-194000
19,5	77	102	152	20	2	SMI0132-195000	SMI1132-195000
19,6	77	102	152	20	2	SMI0132-196000	SMI1132-196000
19,7	77	102	152	20	2	SMI0132-197000	SMI1132-197000
19,8	77	102	152	20	2	SMI0132-198000	SMI1132-198000
19,9	77	102	152	20	2	SMI0132-199000	SMI1132-199000
20,0	77	102	152	20	2	SMI0132-200000	SMI1132-200000